



State of Rhode Island and Providence Plantations

Water Resources Board

100 North Main Street, 5th Floor

Providence, RI 02903

(401) 222-2217 • FAX: (401) 222-4707

To: Public Drinking Water Protection Committee
Through: Juan Mariscal, P.E., General Manager
From: Beverly O'Keefe, Supervising Planner
Date: November 27, 2006
Subject: Drought Update: Current Water Conditions

BACKGROUND: Pursuant to State Guide Plan Element 724: The Rhode Island Drought Management Plan, the Water Resources Board is required to assess water conditions monthly. Staff has assembled climate information from a variety of sources to monitor the potential for drought conditions in Rhode Island which is summarized below:

Data Source	Date	Report Summary
NOAA NWS Taunton MA Climate Report	26 Sept. 2006	7.69" received TF Green Airport MTD + 3.86" above normal for October
USGS Surface Water Runoff Report	Sept. 2006	Above Normal - central & southern RI; Normal - northern RI
Scituate Reservoir	Oct 26, 2006	90.0% of Capacity
USGS Groundwater Level Summary	Sept. 2006	Above Normal-southern RI; Normal-central and northern RI
USGS RI Groundwater Level Detail Well Report	Sept. 2006	No new hi/low water levels reported
NOAA NWS Drought Severity Index: Palmer	18 Nov. 2006	Extremely Moist
NOAA NWS Crop Moisture Index	18 Nov. 2006	Wet
NOAA NWS Drought Monitor Seasonal Assessment	21 Nov. 2006	Normal
NOAA Seasonal Drought Outlook (through November 2006)	16 Nov. 2006	Normal

Rhode Island month to date rainfall recorded at 7.69 inches at T.F. Green Airport (normal rainfall value through November 27 is 3.83 inches). Rainfall recorded since January 1 totals +51.89 inches, a departure from normal of + 10.15 inches for the eleven-month period. Preliminary National Weather Service Precipitation Data ending October 2006 is provided as an attachment.

The **USGS Water Conditions Statement** is summarized in three tables (Surface Water Runoff, Ground-water Level Conditions, and Summary of Rhode Island Ground-Water Levels) embedded in this memorandum.

Surface-water flows at the end of October 2006 were generally above normal (highest 25 percent of flows for October) in central and southern Rhode Island. Flows were normal (between highest and lowest 25 percent of flows for October) for northern Rhode Island. Ground-water levels were above normal in southeast Rhode Island including Block Island (New Shoreham). Ground-water levels were generally normal (between highest and lowest 25 percent of levels for October) for central and northern Rhode Island.

Surface-Water Runoff October 2006




Table 1: Surface Water Runoff

COMPARISON WITH MONTHLY NORMAL RANGE

- ABOVE NORMAL** – within the highest 25 percent of record for this month
- NORMAL RANGE**
- BELOW NORMAL** – within the lowest 25 percent of record for this month
- NO STREAM DATA**
- INDEX STREAM GAGE LOCATION**

NOTE: Additional sites from those shown are used to determine ranges

MASSACHUSETTS AND RHODE ISLAND USGS GROUND-WATER-LEVEL CONDITIONS - OCTOBER 2006




Table 2: Ground Water-Level Conditions

Borden Brook/Cobble Mountain, Quabbin, and Scituate Reservoirs were 82-, 92- and 88- percent full, respectively, at the end of October. In comparison, Borden Brook/Cobble Mountain, Quabbin, and Scituate Reservoirs were 80-, 94- and 90- percent full, respectively, at the end of September.

TABLE 3: SUMMARY OF GROUND-WATER LEVELS **October 2006** PROVISIONAL
 (NOTE: Wells with * also available in real-time at top of Ground-Water Data page;
 OWc, monthly measured value used in high ground-water level estimation report,
 USGS Open-File Report 80-1205.)

WELL	L T I O T P H O O	START YEAR OF RECORD	NET CHANGE		DEPARTURE FROM MONTHLY MEDIAN	WATER LEVEL		
			IN MONTH	IN ONE YEAR		BELOW LAND- SURFACE DATUM (OWc)	DAY	
(FEET)								
RHODE ISLAND								
BURRILLVILLE 187	TS	1968	- 0.15	- 1.20	+ 0.46	16.37	23	
BURRILLVILLE 395	UT	1992	- 0.80	- 1.76	- 0.68	10.81	30	
BURRILLVILLE 396	VT	1992	+ 0.14	- 1.00	+ 0.64	5.19	31	
BURRILLVILLE 397	HT	1992	- 0.35	- 10.76	+ 1.16	20.66	31	
BURRILLVILLE 398	HT	1992	- 0.22	- 7.19	- 2.85	11.40	31	
CHARLESTOWN 18	FS	1946	- 0.06	- 2.20	+ 1.88	18.12	23	
CHARLESTOWN 586	VT	1992	+ 0.58	- 0.24	+ 0.46	3.37	30	
CHARLESTOWN 587	ST	1992	+ 5.10	- 1.26	+ 3.16	4.98	30	
COVENTRY 342	VS	1991	+ 0.41	- 3.35	- 0.54	10.28	23	
COVENTRY 411	SS	1961	- 0.28	- 2.28	+ 0.46	22.01	23	
COVENTRY 466	VT	1992	+ 1.24	- 0.26	+ 0.52	2.54	30	
CRANSTON CITY 439	ST	1992	- 0.29	- 10.20	- 0.43	19.78	30	
CUMBERLAND 265	SS	1946	+ 0.49	- 3.21	+ 0.72	13.50	23	
EXETER 6	VS	1948	+ 0.26	- 0.86	+ 0.33	6.31	23	
EXETER 158	ST	1991	- 0.48	- 4.16	- 4.16	15.38	23	
EXETER 238	FT	1991	+ 0.71	- 0.75	+ 0.30	11.83	23	
EXETER 278	HT	1991	- 0.30	- 3.05	- 0.21	17.49	23	
EXETER 475	VS	1981	- 0.30	- 0.91	+ 0.20	15.74	23	
EXETER 554	SS	1988	+ 0.16	- 1.29	+ 0.36	10.44	23	
FOSTER 40	HT	1991	+ 1.85	- 2.46	+ 0.34	5.80	23	
FOSTER 290	HT	1992	+ 1.28	- 5.91	- 4.33	10.52	30	
HOPKINTON 67	ST	1991	- 0.12	- 2.76	+ 0.72	19.02	23	
LINCOLN 84	VS	1946	+ 0.08	- 2.31	+ 0.89	4.96	23	
LITTLE COMPTON 142	ST	1992	+ 2.20	- 8.69	+ 1.52	14.76	31	
NEW SHOREHAM 258	UT	1991	-----	- 1.08	+ 1.00	11.63	29	
NORTH KINGSTOWN 255	VS	1954	+ 0.59	- 2.18	+ 1.65	7.89	23	
NORTH SMITHFIELD 21	TS	1947	+ 0.23	- 2.82	+ 1.02	8.79	23	
PORTSMOUTH 551	HT	1992	+ 11.18	- 1.83	+ 9.57	33.00	31	
PROVIDENCE 48	TS	1944	+ 0.06	- 0.94	+ 2.44	4.15	23	
RICHMOND 417	VS	1976	+ 0.18	- 1.09	+ 0.41	7.12	23	
RICHMOND 600*	TS	1977	- 0.15	- 0.37	+ 0.53	34.15	23	
RICHMOND 785	FS	1989	- 0.54	- 0.13	+ 1.09	23.78	23	
SOUTH KINGSTOWN 6	VS	1955	+ 0.06	- 1.85	+ 1.31	12.32	23	
SOUTH KINGSTOWN 1198	FS	1988	- 0.14	- 2.65	- 0.43	9.83	23	
TIVERTON 274	TT	1990	-----	-----	-----	-----		
WARWICK 59	ST	1991	+ 1.22	- 5.47	+ 3.94	10.40	23	
WESTERLY 522	FS	1969	+ 0.27	- 1.32	+ 0.86	12.50	23	
WEST GREENWICH 181	US	1969	- 0.10	- 2.19	+ 0.26	16.29	23	
WEST GREENWICH 206	ST	1991	+ 0.45	- 0.77	+ 0.46	4.53	23	

>> SET NEW HIGH OR EQUALED HIGHEST RECORDED WATER LEVEL FOR PERIOD OF RECORD
 > SET NEW HIGH OR EQUALED HIGHEST RECORDED WATER LEVEL FOR END OF NOVEMBER
 << SET NEW LOW OR EQUALED LOWEST RECORDED WATER LEVEL FOR PERIOD OF RECORD
 < SET NEW LOW OR EQUALED LOWEST RECORDED WATER LEVEL FOR END OF NOVEMBER
 ----- DATA NOT AVAILABLE

TOPOGRAPHIC (TOPO) SETTING: F=FLAT, G=FLOOD PLAIN, H=HILLTOP, S=HILLSIDE,
 T=TERRACE, U=UNDULATING, V=VALLEY, W=UPLAND DRAW, LITHOLOGY (LITHO): G=GRAVEL, R=ROCK, S=SAND, T=TILL

The NOAA National Weather Service (NWS) Drought Severity Index for the period ending Nov. 18, 2006 shows extremely moist conditions for the region (Table 4). The Crop Moisture Index for the same time period shows wet conditions (Table 5).

Table 4: Drought Severity Index




Table 5: Crop Moisture Index






Table 6: US Drought Monitor



Tables 6 and 7 present national seasonal assessment and state rankings based on precipitation. The Drought Monitor (Table 6) focuses on broad scale conditions, and portrays Rhode Island experiencing a normal intensity through November 21, 2006. The NOAA Seasonal Drought Outlook through February 2007 projects “normal” conditions for Rhode Island.

Table 7: NOAA Seasonal Drought Outlook



DISCUSSION

Precipitation patterns for Rhode Island have remained within normal-above normal limits through November 2006. Water conditions will continue to be closely monitored over the next month by the Water Resources Board staff.

RECOMMENDATIONS : Information only.

Additional Information on Water Conditions:

NOAA NWS Climate Report

<http://www.erh.noaa.gov/box/fcsts/BOSESFBOX.html>

NOAA Drought Severity Index by Division

http://www.cpc.ncep.noaa.gov/products/analysis_monitoring/regional_monitoring/palmer.gif

Crop Moisture Index by Division http://www.cpc.ncep.noaa.gov/products/analysis_monitoring/regional_monitoring/cmi.gif

NOAA Drought Information Center

<http://www.drought.noaa.gov/>

U. S. Geological Survey – MA & RI

<http://ma.water.usgs.gov/>